

Majestic Manufacturing, Inc.

Majestic Manufacturing, Inc. * PO Box 128
4536 State Route 7, New Waterford, Ohio 44445

Subject: Folding Gooseneck TM-1400 & TM-1800

ATTN: OWNER/OPERATOR

This bulletin pertains to the operation of your Majestic unit. This Service Bulletin must remain with the owner's manual at all times. If you have any questions regarding the Bulletin, contact our office at 330/457-2447, M-F 8:00a.m. -4:30p.m. E.S.T. ** Fax 330/457-7490.

SERVICE BULLETIN

Date: February 13, 1991

S.B. Number: 91-2 Sheet 1 of 2

Notice:

Majestic Manufacturing, Inc. indicates in the owner's manual about the safeguards and hazards of raising and lowering the hydraulic gooseneck. In addition, Majestic Manufacturing will be issuing operational placards along with the instructions and hardware to be placed on each and every Majestic scooter equipped with this hydraulic feature. Majestic Manufacturing also states that any modification to the factory design relieves any responsibility of Majestic Manufacturing. You may order these placards free of charge if they are ordered within 90 days of this service bulletin. After 90 days, the charge will be \$4.00 each. You are required to have two (2) placards for each scooter building.

If you have any questions on factory standards or procedures on our equipment, contact Majestic Manufacturing, Inc. during normal business hours of 8:00 a.m. to 4:30 p.m. Monday through Friday, E.S.T. at 330/457-2447 or toll free at 1-888-MAJ-RIDE.

Majestic Manufacturing, Inc.

Majestic Manufacturing, Inc. * PO Box 128
4536 State Route 7, New Waterford, Ohio 44445


Instructions for Installing

Warning Decal:

Using the holes in the decal,
Locate & drill a 13/64" dia.
Hole in the side panels.
Pop rivet in place

Trailer top
Support Posts

Location of
Warning
Decal



CAUTION

ON
RAISING or LOWERING
HYD.
GOOSENECK

INSTRUCTIONS

1. REMAIN 10' AWAY FROM FRONT OF GOOSENECK WHILE RAISING OR LOWERING.
2. NEVER REMAIN UNDER GOOSENECK WHILE RAISING OR LOWERING.
3. MAINTAIN GOOSENECK TO FACTORY STANDARDS.

A diagram of a gooseneck structure. A horizontal arrow points from the front of the gooseneck to the right, labeled "10' MIN.". Below the arrow, a silhouette of a person is shown with a diagonal line through it, indicating a restricted zone. To the right of this zone, another silhouette of a person is shown standing safely.

Gooseneck

NOTE: Warning Label must be located on the unit in such a way that it is visible to any person prior to the lowering or raising of the Gooseneck.

Revised 01/06/03

Majestic Manufacturing, Inc.

Majestic Manufacturing, Inc. * PO Box 128
4536 State Route 7, New Waterford, Ohio 44445

Subject: Folding Gooseneck Supplement

ATTN: OWNER/OPERATOR

This bulletin pertains to the operation of your Majestic unit. This Service Bulletin must remain with the owner's manual at all times. If you have any questions regarding the Bulletin, contact our office at 330/457-2447, M-F 8:00a.m. -4:30p.m. E.S.T. ** Fax 330/457-7490.

SERVICE BULLETIN

Date: May 1, 1991

S.B. Number: S.B. 91-2 Supplement to Service Bulletin 91-2

Notice:

Service Bulletin 91-2 and the safety decal referred to; emphasize the importance of maintaining the gooseneck assembly to factory standards. This supplement letter is being supplied to all of our customers explaining what the phrase "FACTORY STANDARDS" means.

1. Inspect the shock absorbers to see that they are in good condition and installed correctly.
2. King pin is free of weld cracks or abnormal wear.
3. Pivot arms must be free of weld cracks and end caps must be in place.
4. Pivot brackets must be free of weld cracks.
5. Folding support plate must be free of weld cracks and any excessive wear on pipe ends.
6. Safety lock bar must be installed and in good condition.
7. Drive pins must be installed and in good condition.
8. Drive pin locks are to be free of weld cracks and in good condition.
9. Mechanical stabilizer must be in place at all times and in good condition.

NOTE: SERVICE BULLETINS 91-2 AND 91-4 MUST BE COMPLIED WITH FOR A SAFE GOOSENECK OPERATION.

If you have any questions on factory standards or procedures on our equipment, contact Majestic Manufacturing, Inc. during normal business hours of 8:00 a.m. to 4:30 p.m. Monday through Friday, E.S.T. at 330/457-2447 or toll free at 1-888-MAJ-RIDE.